

# 2004 MODEL

**YEAR**

- Express Series*
- Sport Series*
- Walk Series*
- Bay Boat Series*
- Dual Console Series*
- Super Sport Series*

[www.prolineboats.com](http://www.prolineboats.com)



PROUDLY BUILDING AMERICA'S FISHING BOATS

# 25

**PRO-LINE**  
BOATS

FOR THIRTY-FIVE YEARS





## Pro-Line Boats.

Proudly Building Americas' Fishing Boats  
For Over 35 Years.

Since 1968, Pro-Line has been designing, building and delivering some of the finest fishing boats throughout the world. In fact, our leading edge technologies and award winning designs have earned us a well deserved saying- Built by fishermen, for fishermen.

With 24 models and a variety of configurations to choose from, Pro-Line has the right boat for your specific fishing needs. In addition, Pro-Line has



designed in a host of non-fishing amenities into our models to provide you and your family with all the comforts of home. So, even when you're not going after the



big ones, you can enjoy your Pro-Line for a variety of other water related sports.

No matter where you fish, Pro-Line's are built to withstand the rigors of Mother Nature. Our boats exceed NMMA, US Coast Guard and European CE requirements. Only top quality materials are used in our boats such as 3610 multi-axial fiberglass, 316-L stainless steel hardware that's thru-bolted with aircraft locking nuts, 32 oz UV protected vinyl, and 3M 5200 sealant bonds the hull and deck together.

Our Fiberglass Integrated Structural Technology, or FIST construction, uses hi-tech materials for a wood-free, rot-free



stringer system. Pro-Line owners take their boats out and fish with the confidence, and peace of mind, that comes with owning a well-built boat.



The National Marine Manufacturers Association recently awarded Pro-Line Boats with their prestigious CSI Award, honoring Pro-Line for excellence in customer satisfaction for the 2002 model year. Pro-Line was recognized in the category of *Fiberglass Outboard Boats* and produced a benchmark score of 90 or above from boat owners rating *Overall Satisfaction with the Boat*.

Since 1990, our own independent surveys have shown that over 98% of Pro-Line owners would recommend our boats to a friend.







33 EXPRESS

EXPRESS  
SERIES

When it comes to big-water tournament fish boats, a Pro-Line Express sets new standards in performance, luxury and fish-ability. The cabins are well designed, large and airy. Enclosed heads are tall and spacious. Helm stations are ergonomically designed and abundant fishing features are everywhere. Bring on the fish, bring on the party or bring on both. A Pro-Line Express can handle it all.



	33 EXPRESS	30 EXPRESS	27 EXPRESS
LOA	33'0" (10.06m)	32'6" (9.91m)	29'1" (8.86m)
BEAM	12'6" (3.81m)	10'10" (3.30m)	9'10" (3.0m)
DRAFT	41" (1.04m)	22" (0.56m)	21" (0.53m)
DEADRISE	19°	19°	19°
FUEL	300 Gal. (1135 Lit.)	212 Gal. (804 Lit.)	200 Gal. (757 Lit.)



<b>WEIGHT-HULL</b>	14,500 lbs. (6577kg)	7,700 lbs. (3493kg)	5,900 lbs. (2676kg)
<b>WEIGHT-TRAILER</b>	18,000 lbs. (8165kg)	14,000 lbs. (6350kg)	9,500 lbs. (4309kg)
<b>COCKPIT AREA</b>	115 sq.ft. (10.68m <sup>2</sup> )	102 sq.ft. (9.48m <sup>2</sup> )	80 sq.ft. (7.43m <sup>2</sup> )
<b>COCKPIT DEPTH</b>	25" (0.64m)	30" (0.79m)	26" (0.66m)
<b>BRIDGE CLEARANCE</b>		7'1" (2.16m)	7'3" (2.21m)
<b>WITH TOP</b>	w/Tower 15'3" (4.65m)	9'6" (2.90m)	9'7" (2.92m)
<b>MAX HP</b>	840 (626.39kw)	500 (372.85kw)	500 (372.85kw)
<b>BAITWELL</b>	35 Gal. (132.5L)	50 Gal. (189.3L)	35 Gal. (132.5L)
<b>FISHBOX</b>	75 Gal. (284.0L)	(2) 110 Gal. (416.5L)	(2) 50 Gal. (189.3L)
<b>FRESH WATER</b>	40 Gal. (151.4L)	30 Gal. (113.6L)	30 Gal. (113.6L)

30 EXPRESS



27 EXPRESS







## SUPERSPORT SERIES

In the race for the quintessential performance fishing boat, our new 29 Super Sport scores a win. Everything we've learned over the past 35 years has gone into this boat. We've designed a go-fast fish boat without sacrificing strength, stability, size or fishability. Next time you run out, leave the others in your wake.

LOA	28'7" (8.71m)
BEAM	9'0" (2.74m)
DRAFT	21" (0.53m)
DEADRISE	22°
FUEL	195 Gal. (738.15L)
WEIGHT-HULL	5,350 lbs. (2427kg)
WEIGHT-TRAILER	8100 lbs. (3674kg)
COCKPIT AREA	101 sq.ft. (9.38m <sup>2</sup> )
COCKPIT DEPTH	30" (0.76m)
BRIDGE CLEARANCE	7'7" (2.31m)
WITH TOP	8'10" (2.69m)
MAX HP	500 (372.85kw)
BAITWELL	45 Gal. (170.4L)
FISHBOX (2)	15 Gal. (56.8L)
FISHBOX	113 Gal. (514.2L)
FRESH WATER	15 Gal. (58.6L)

### 29 SUPER SPORT

29 SUPER SPORT



Whether you're planning the purchase of your next boat or just looking around, we invite you to log on to the Pro-Line web site at [www.prolineboats.com](http://www.prolineboats.com). There you will find everything from detailed specs on each boat and engine performance comparisons to owner profiles and Pro-Line clothing and gear.

While we endeavor to be as accurate as possible, certain changes in standard equipment, options and the like may have occurred which would not be included in the catalog. All weights and fuel capacities are estimates and could/will vary with each vessel and with each application. In all cases, consult your local Pro-Line dealer for the most current information.



P.O. Box 1348 Crystal River, FL 34423-1348  
[www.prolineboats.com](http://www.prolineboats.com) (800) 344-1281

**MERCURY**  
 #1 On The Water





20 BAY BOAT



22 BAY BOAT



24 BAY BOAT

## BAY BOAT SERIES



Our Bay Boat Series have set the standard for "skinny" water performance and fun. Quality construction and ample fishing features make sure these boats are at home where ever there's backwater action to be found.

	24 BAY BOAT	22 BAY BOAT	20 BAY BOAT
LOA	23'11" (7.29m)	21'11" (6.68m)	20'5" (6.22m)
BEAM	8'6" (2.59m)	8'6" (2.59m)	8'6" (2.59m)
DRAFT	11" (0.28m)	11" (0.28m)	11" (0.28m)
DEADRISE	13°	13°	13°
FUEL	82 Gal. (310.5L)	60 Gal. (227.2L)	60 Gal. (227.2L)
WEIGHT-HULL	2,513 lbs. (1140kg)	2,284 lbs. (1036kg)	2,059 lbs. (934kg)
WEIGHT-TRAILER	3,887 lbs. (1310kg)	3,248 lbs. (1207kg)	2,437 lbs. (1105kg)
COCKPIT AREA	90 sq.ft. (8.36m <sup>2</sup> )	87 sq.ft. (8.08m <sup>2</sup> )	79 sq.ft. (7.34m <sup>2</sup> )
COCKPIT DEPTH	17" (0.43m)	22" (0.56m)	17" (0.43m)
BRIDGE CLEARANCE	4'7" (1.40m)	4'7" (1.40m)	4'7" (1.40m)
WITH TOP	8'0" (2.44m)	8'0" (2.44m)	8'0" (2.44m)
MAX HP	225 (167.78kw)	225 (167.78kw)	200 (149.14kw)
BAITWELL	18 Gal. (68.2L)	15 Gal. (56.8L)	15 Gal. (56.8L)



22 DUAL CONSOLE



20 DUAL CONSOLE

## DUAL CONSOLE SERIES



Versatile boats designed for a versatile lifestyle. Fish, dive, go tubing, cruising or whatever. No matter what your idea of fun on the water is, you're sure to enjoy it more with Pro-Line quality at your control.

	22 DUAL CONSOLE	20 DUAL CONSOLE
LOA	22'5" (6.83m)	20'6" (6.12m)
BEAM	8'2" (2.50m)	8'2" (2.50m)
DRAFT	15" (0.38m)	15" (0.38m)
DEADRISE	19°	19°
FUEL	90 Gal. (340.8L)	70 Gal. (265.0L)
WEIGHT-HULL	3,050 lbs. (1383kg)	2,500 lbs. (1134kg)
WEIGHT-TRAILER	4,179 lbs. (1896kg)	4,000 lbs. (1814kg)
COCKPIT AREA	92 sq.ft. (8.55m <sup>2</sup> )	87 sq.ft. (8.08m <sup>2</sup> )
COCKPIT DEPTH	22" (0.56m)	22" (0.56m)
BRIDGE CLEARANCE	6'2" (1.88m)	6'2" (1.88m)
MAX HP	225 (167.78kw)	200 (149.14kw)
BAITWELL	9.75 Gal. (36.9L)	9.75 Gal. (36.9L)
FISHBOX	9.75 Gal. (36.9L)	9.75 Gal. (36.9L)





30 SPORT



26 SPORT

27 SPORT








## SPORT SERIES



Nothing defines the perfect hard-core fishing boat better than a Pro-Line Sport. These center-console fishing machines embody all the critical components today's demanding angler requires. Spacious cockpits, huge raised casting platforms; big consoles with stand-up heads and plenty of rod storage are just the start. They feature large fish boxes, big baitwells, washdown systems, tackle stations and much more. Bred from decades of Pro-Line innovation and design, Pro-Line Sports offer fishermen and their families the right boat for their fishing lifestyle.

	<b>30 SPORT</b>	<b>27 SPORT</b>	<b>26 SPORT</b>	<b>25 SPORT</b>
<b>LOA</b>	32'6" (9.91m)	29'1" (8.86m)	27'0" (8.23m)	25'5" (7.75m)
<b>BEAM</b>	10'10" (3.30m)	9'10" (3.0m)	8'6" (2.59m)	8'6" (2.59m)
<b>DRAFT</b>	22" (0.56m)	20" (0.56m)	16" (0.41m)	14" (0.36m)
<b>DEADRISE</b>	19°	19°	19°	19°
<b>FUEL</b>	300 Gal. (1135.9L)	200 Gal. (757.2L)	170 Gal. (643.7L)	138 Gal. (545.2L)
<b>WEIGHT-HULL</b>	6,300 lbs. (2858kg)	5,200 lbs. (2359kg)	4,500 lbs. (2041kg)	3,600 lbs. (1633kg)
<b>WEIGHT-TRAILER</b>	11,000 lbs. (4990kg)	8,550 lbs. (3878kg)	7,500 lbs. (3402kg)	5,750 lbs. (2608kg)
<b>COCKPIT AREA</b>	145 sq.ft. (13.47m <sup>2</sup> )	105 sq.ft. (9.75m <sup>2</sup> )	91 sq.ft. (8.45m <sup>2</sup> )	104 sq.ft. (9.66m <sup>2</sup> )
<b>COCKPIT DEPTH</b>	30" (0.76m)	26" (0.66m)	28" (0.71m)	29" (0.74m)
<b>BRIDGE CLEARANCE</b>	7'0" (2.13m)	7'1" (2.16m)	6'9" (2.06m)	6'9" (2.06m)
<b>WITH TOP</b>	8'3" (2.51m)	8'2" (2.49m)	8'6" (2.59m)	8'1" (2.46m)
<b>MAX HP</b>	500 (372.85kw)	500 (372.85kw)	400 (298.28kw)	300 (223.71kw)
<b>BAITWELL</b>	50 Gal. (189.3L)	35 Gal. (132.5L)	35 Gal. (132.5L)	15 Gal. (56.8L)
<b>FISHBOX</b>	(2) 90 Gal. (340.8L)	(2) 50 Gal. (189.3L)	(2) 45 Gal. (170.4L)	40 Gal. (151.4L)
<b>FRESH WATER</b>	39 Gal. (147.7L)	15 Gal. (56.8L)	15 Gal. (56.8L)	15 Gal. (56.8L)



25 SPORT



22 SPORT



33 WALK



WALK  
SERIES



Pro-Line Walks are built for wide-open waters and live-aboard comfort. They offer the widest, deepest walks in the industry. Cabins are designed with a bright, airy feeling that takes full advantage of live-aboard amenities and abundant storage. If you're looking for a superbly performing fishing machine that's packed with creature comforts, then look no further than a new Pro-Line Walk.





	23 SPORT	22 SPORT	20 SPORT	19 SPORT
LOA	24'5" (7.44m)	23'7" (7.086m)	21'8" (6.64m)	19'2" (5.84m)
BEAM	8'6" (2.59m)	8'5" (2.51m)	8'5" (2.50m)	7'9" (2.36m)
DRAFT	18" (0.46m)	15" (0.38m)	15" (0.38m)	12" (0.30m)
DEADRISE	22°	19°	19°	19°
FUEL	140 Gal. (530.1L)	90 Gal. (340.8L)	70 Gal. (265.0L)	50 Gal. (189.3L)
WEIGHT-HULL	3,300 lbs. (1497kg)	2,750 lbs. (1247kg)	2,200 lbs. (998kg)	2,000 lbs. (907kg)
WEIGHT-TRAILER	5,850 lbs. (2654kg)	4,500 lbs. (2041kg)	3,700 lbs. (1678kg)	3,150 lbs. (1429kg)
COCKPIT AREA	80 sq.ft. (7.43m <sup>2</sup> )	92 sq.ft. (8.55m <sup>2</sup> )	81 sq.ft. (7.53m <sup>2</sup> )	54 sq.ft. (5.02m <sup>2</sup> )
COCKPIT DEPTH	27" (0.69m)	27" (0.69m)	22" (0.56m)	22" (0.56m)
BRIDGE CLEARANCE	6'7" (2.01m)	5'10" (1.78m)	5'10" (1.78m)	4'8" (1.42m)
WITH TOP	7'9" (2.36m)	8'0" (2.44m)	8'0" (2.44m)	
MAX HP	300 (223.71kw)	225 (167.78kw)	200 (149.14kw)	150 (111.86kw)
BAITWELL	25 Gal. (94.63L)	25 Gal. (94.63L)	25 Gal. (94.63L)	13 Gal. (49.2L)
FISHBOX	32 Gal. (121.2L)	18 Gal. (68.2L)		
FISHBOX FWD	70 Gal. (265.0L)	27 Gal. (102.2L)		



LOA	33'8" (10.26m)	32'8" (9.91m)	29'1" (8.86m)	27'0" (8.23m)
BEAM	11'0" (3.35m)	10'10" (3.30m)	9'10" (3.0m)	8'6" (2.59m)
DRAFT	25" (0.64m)	22" (0.56m)	21" (0.53m)	17" (0.43m)
DEADRISE	19°	19°	19°	19°
FUEL	270 Gal. (1022L)	300 Gal. (1135.9L)	200 Gal. (757.2L)	165 Gal. (624.7L)
WEIGHT-HULL	10,350 lbs. (4695kg)	7,550 lbs. (3425kg)	5,900 lbs. (2676kg)	4,250 lbs. (1928kg)
WEIGHT-TRAILER	14,350 lbs. (6510kg)	11,700 lbs. (5330kg)	9,500 lbs. (4309kg)	7,250 lbs. (3289kg)
COCKPIT AREA	75 sq.ft. (6.97m <sup>2</sup> )	84 sq.ft. (7.80m <sup>2</sup> )	65 sq.ft. (6.04m <sup>2</sup> )	45 sq.ft. (4.18m <sup>2</sup> )
COCKPIT DEPTH	26" (0.66m)	30" (0.76m)	26" (0.66m)	28" (0.71m)
BRIDGE CLEARANCE WITH TOP	8'0" (2.44m)	7'1" (2.16m)	7'9" (2.36m)	6'11" (2.11m)
MAX HP	500 (372.85kw)	500 (372.85kw)	500 (372.85kw)	400 (298.28kw)
BAITWELL	50 Gal. (189.3L)	45 Gal. (170.4L)	35 Gal. (132.5L)	(OB) 18 Gal. (68.2L)
FISHBOX	(2) 50 Gal. (189.3L)	(2) 50 Gal. (189.3L)	(2) 50 Gal. (189.3L)	(2) 50 Gal. (189.3L)
FRESH WATER	39 Gal. (147.6L)	39 Gal. (147.6L)	30 Gal. (113.6L)	15 Gal. (56.8L)







	<b>25 WALK</b>	<b>23 WALK</b>	<b>22 WALK</b>	<b>20 WALK</b>
<b>LOA</b>	25'5" (7.75m)	24'5" (7.44m)	23'7" (7.086m)	21'8" (6.64m)
<b>BEAM</b>	8'6" (2.59m)	8'6" (2.59m)	8'5" (2.51m)	8'5" (2.51m)
<b>DRAFT</b>	14" (0.36m)	18" (0.46m)	16" (0.41m)	15" (0.38m)
<b>DEADRISE</b>	19°	22°	19°	19°
<b>FUEL</b>	138 Gal. (522.5L)	140 Gal. (530.1L)	90 Gal. (340.8L)	70 Gal. (265.0L)
<b>WEIGHT-HULL</b>	4,150 lbs. (1882kg)	3,700 lbs. (1678kg)	3,000 lbs. (1634kg)	2,100 lbs. (935kg)
<b>WEIGHT-TRAILER</b>	7,000 lbs. (3175kg)	6,500 lbs. (2948kg)	4,900 lbs. (2223kg)	4,500 lbs. (2041kg)
<b>COCKPIT AREA</b>	60 sq.ft. (5.57m <sup>2</sup> )	49 sq.ft. (4.55m <sup>2</sup> )	58 sq.ft. (5.39m <sup>2</sup> )	47 sq.ft. (4.37m <sup>2</sup> )
<b>COCKPIT DEPTH</b>	28" (0.71m)	27" (0.69m)	27" (0.69m)	22" (0.56m)
<b>BRIDGE CLEARANCE WITH TOP</b>	5'8" (1.73m)	6'0" (1.83m)	5'10" (1.78m)	5'10" (1.78m)
<b>MAX HP</b>	300 (223.71kw)	300 (223.71kw)	225 (167.78kw)	200 (149.14kw)
<b>BAITWELL</b>	15 Gal. (56.8L)	15 Gal. (56.8L)	27 Gal. (102.2L)	27 Gal. (102.2L)
<b>FISHBOX</b>	(2) 30 Gal. (113.6L)	(2) 20 Gal. (75.7L)	27 Gal. (102.2L)	27 Gal. (102.2L)
<b>FRESH WATER</b>	6 Gal. (22.7L)	6 Gal. (22.7L)		